

## Appendix 2

### Identity of Catholic schools: International Studies in Catholic Education: Regression Analysis Tables

Table A1. Sets of predictor variables used in the regression analyses.

Set	Variable	Scoring	Survey Question
<b>Set 1</b>	Demographics		
	GENDER	male = 1, female = 2	1
	AGE	< 29 years = 1 ... 60+ years = 5	2
	LEVEL	Primary = 1, Primary & secondary = 2, Secondary = 3	5_1
	LOS	< 5 years = 1 ... > 30 years = 5 (length of teaching service)	6
	APPOINT	1 = Principal ... 6 = teacher (level of appointment)	9
<b>Set 2</b>	Role in Catholic school		
	RELTEACH	1 = teaches religion, 2 = does not	5_2
	CURMANG	1 = curriculum responsibilities, 2 = none	5_3
	LOSCATH	1 = < 5 years ... 5 > 30 years	7
<b>Set 3</b>	Religion and religiosity		
	RELIGION	1 = Catholic, 0 = other	10
	RELGIMP	0 = very important ... 5 very unimportant	11
<b>Set 4</b>	Self-reported levels of knowledge		
	KNOWTOT	1 = knowledge of faith very poor ... 5 knowledge very good	20
<b>Set 5</b>	Reasons for working in Catholic schools		
	ENVIRO	1 = working because of environment, 0 = other	8
	COMIT	1 = working because of faith commitment, 0 = other	8

Table B1. Regression statistics for the prediction of KNOWTOT.

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Correlations		
	B	Std. Error	Beta			Zero-order	Partial	Part
<b>(Constant)</b>	4.203	.115		36.520	.000			
<b>GENDER</b>	.028	.028	.019	.990	.323	.030	.022	.019
<b>AGE</b>	.012	.017	.021	.688	.492	.150	.015	.013
<b>LEVEL</b>	.118	.025	.104	4.737	.000	-.041	.104	.089
<b>RELTEACH</b>	-.262	.031	-.188	-8.497	.000	-.225	-.184	-.160
<b>CURMANG</b>	-.048	.035	-.035	-1.365	.172	-.134	-.030	-.026
<b>LOS</b>	-.062	.021	-.123	-2.923	.004	.162	-.064	-.055
<b>LOSCATH</b>	.109	.019	.210	5.744	.000	.276	.125	.108
<b>APPOINT</b>	-.032	.013	-.062	-2.372	.018	-.210	-.052	-.045
<b>RELGIMP</b>	-.151	.011	-.293	-13.927	.000	-.388	-.293	-.263
<b>RELIGION</b>	.331	.037	.184	8.882	.000	.288	.192	.168

$R^2 = .264$ ;  $F(10, 2063) = 74.11$ ,  $p < .001$ .

Table B2. Regression statistics for the prediction of ENVIRO.

	B	S.E.	Wald	df	Sig.	Exp(B)
<b>GENDER</b>	.212	.148	2.039	1	.153	1.236
<b>AGE</b>	.169	.099	2.933	1	.087	1.185
<b>LEVEL</b>	-.228	.136	2.794	1	.095	.796
<b>RELTEACH</b>	.039	.170	.053	1	.818	1.040
<b>CURMANG</b>	.018	.189	.009	1	.924	1.018
<b>LOS</b>	-.397	.108	13.574	1	.000	.672
<b>LOSCATH</b>	.276	.092	9.008	1	.003	1.318
<b>APPOINT</b>	-.056	.081	.478	1	.489	.946
<b>RELGIMP</b>	-.023	.061	.147	1	.701	.977
<b>RELIGION</b>	.239	.184	1.685	1	.194	1.270
<b>KNOWTOT</b>	.285	.117	5.929	1	.015	1.329
<b>Constant</b>	.909	.800	1.290	1	.256	2.481

Nagelkerke  $R^2 = .045$ ;  $\chi^2(10; N = 2074) = 49.85$ ,  $p < .001$ .

Table B3. Regression statistics for the prediction of COMIT.

	<b>B</b>	<b>S.E.</b>	<b>Wald</b>	<b>df</b>	<b>Sig.</b>	<b>Exp(B)</b>
<b>GENDER</b>	.269	.130	4.299	1	.038	1.309
<b>AGE</b>	-.030	.081	.133	1	.715	.971
<b>LEVEL</b>	-.447	.122	13.552	1	.000	.639
<b>RELTEACH</b>	-.484	.144	11.296	1	.001	.616
<b>CURMANG</b>	-.184	.168	1.202	1	.273	.832
<b>LOS</b>	-.155	.099	2.435	1	.119	.856
<b>LOSCATH</b>	.329	.090	13.281	1	.000	1.390
<b>APPOINT</b>	-.176	.083	4.472	1	.034	.839
<b>RELGIMP</b>	-.714	.060	142.766	1	.000	.489
<b>RELIGION</b>	2.660	.202	173.176	1	.000	14.298
<b>KNOWTOT</b>	.332	.103	10.446	1	.001	1.393
<b>Constant</b>	.097	.731	.017	1	.895	1.101

Nagelkerke  $R^2 = .466$ ;  $\chi^2 = (11: N = 2074) = 862.26$ ,  $p < .001$ .

Table B4. Regression statistics for the prediction of PURPCATH2.

		<b>B</b>	<b>S.E.</b>	<b>Wald</b>	<b>df</b>	<b>Sig.</b>	<b>Exp(B)</b>
<b>Step 1</b>	<b>GENDER</b>	-.020	.106	.036	1	.849	.980
	<b>AGE</b>	.034	.065	.272	1	.602	1.035
	<b>LEVEL</b>	.080	.094	.711	1	.399	1.083
	<b>RELTEACH</b>	-.163	.118	1.904	1	.168	.849
	<b>CURMANG</b>	-.261	.130	4.042	1	.044	.770
	<b>LOS</b>	-.109	.082	1.782	1	.182	.896
	<b>LOSCATH</b>	.245	.074	10.921	1	.001	1.278
	<b>APPOINT</b>	-.134	.050	7.049	1	.008	.875
	<b>RELGIMP</b>	-.180	.042	18.072	1	.000	.835
	<b>RELIGION</b>	.519	.152	11.623	1	.001	1.680
	<b>KNOWTOT</b>	.089	.083	1.133	1	.287	1.093
	<b>Constant</b>	-.034	.558	.004	1	.951	.967
<b>Step 2</b>	<b>GENDER</b>	-.050	.108	.218	1	.640	.951
	<b>AGE</b>	.041	.066	.379	1	.538	1.041
	<b>LEVEL</b>	.130	.096	1.845	1	.174	1.139
	<b>RELTEACH</b>	-.099	.120	.672	1	.412	.906
	<b>CURMANG</b>	-.240	.131	3.340	1	.068	.787
	<b>LOS</b>	-.103	.083	1.534	1	.216	.902
	<b>LOSCATH</b>	.219	.075	8.418	1	.004	1.244
	<b>APPOINT</b>	-.125	.051	6.093	1	.014	.882
	<b>RELGIMP</b>	-.106	.045	5.602	1	.018	.900
	<b>RELIGION</b>	.172	.164	1.095	1	.295	1.187
	<b>KNOWTOT</b>	.054	.085	.401	1	.527	1.055
	<b>ENVIRO</b>	-.127	.146	.749	1	.387	.881
	<b>COMIT</b>	.759	.124	37.420	1	.000	2.137
<b>Constant</b>	-.264	.578	.209	1	.648	.768	

Step 1: Nagelkerke  $R^2 = .112$ ;  $\chi^2 = (11; N = 2074) = 179.79$ ,  $p < .001$ .

Step 2: Nagelkerke  $R^2 = .135$ ;  $\chi^2$  Change = (2; N = 2074) = 39.20,  $p < .001$ .

Overall:  $\chi^2 = (13, N = 2074) = 218.99$ ,  $p < .001$ .

Table B5. Regression statistics for the prediction of PRACTICES.

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Correlations		
		B	Std. Error	Beta			Zero-order	Partial	Part
1	(Constant)	.410	.237		1.732	.083			
	GENDER	.184	.045	.083	4.072	.000	.100	.089	.082
	AGE	-.072	.028	-.084	-2.585	.010	.023	-.057	-.052
	LEVEL	-.050	.040	-.030	-1.252	.211	-.062	-.028	-.025
	RELTEACH	-.157	.050	-.076	-3.127	.002	-.123	-.069	-.063
	CURMANG	-.089	.056	-.044	-1.587	.113	-.115	-.035	-.032
	LOS	.036	.034	.048	1.065	.287	.045	.023	.022
	LOSCATH	-.052	.031	-.067	-1.689	.091	.062	-.037	-.034
	APPOINT	-.078	.021	-.103	-3.646	.000	-.177	-.080	-.074
	RELGIMP	-.196	.018	-.256	-10.825	.000	-.323	-.232	-.219
	RELIGION	-.209	.061	-.078	-3.444	.001	.015	-.076	-.070
	KNOWTOT	.214	.035	.143	6.064	.000	.245	.132	.123
	2	(Constant)	.120	.239		.501	.616		
GENDER		.167	.045	.076	3.727	.000	.100	.082	.075
AGE		-.074	.028	-.087	-2.697	.007	.023	-.059	-.054
LEVEL		-.026	.040	-.015	-.649	.516	-.062	-.014	-.013
RELTEACH		-.135	.050	-.065	-2.705	.007	-.123	-.059	-.054
CURMANG		-.080	.055	-.039	-1.438	.151	-.115	-.032	-.029
LOS		.053	.034	.071	1.571	.116	.045	.035	.031
LOSCATH		-.074	.031	-.095	-2.421	.016	.062	-.053	-.049
APPOINT		-.073	.021	-.096	-3.456	.001	-.177	-.076	-.069
RELGIMP		-.168	.019	-.218	-8.963	.000	-.323	-.194	-.180
RELIGION		-.338	.064	-.126	-5.257	.000	.015	-.115	-.105
KNOWTOT		.192	.035	.129	5.486	.000	.245	.120	.110
ENVIRO		.229	.060	.077	3.787	.000	.103	.083	.076
COMIT	.275	.051	.135	5.397	.000	.232	.118	.108	

Model 1:  $R^2 = .155$ ;  $F(11, 2062) = 34.44$ ,  $p < .001$ .

Model 2:  $R^2 = .173$ ;  $F \text{ Change}(2, 2060) = 21.67$ ,  $p < .001$ .

Overall:  $F(13, 2073) = 33.06$ ,  $p < .001$ .

Deleted: Step

Deleted: Step

Table B6. Regression statistics for the prediction of PEOPLE.

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Correlations			
	B	Std. Error	Beta			Zero-order	Partial	Part	
<b>1</b>	<b>(Constant)</b>	-.191	.238		-.800	.424			
	<b>GENDER</b>	-.023	.046	-.010	-.506	.613	.010	-.011	-.010
	<b>AGE</b>	.054	.028	.062	1.914	.056	.116	.042	.038
	<b>LEVEL</b>	-.226	.040	-.130	-5.588	.000	-.186	-.122	-.111
	<b>RELTEACH</b>	.002	.051	.001	.031	.975	-.140	.001	.001
	<b>CURMANG</b>	-.077	.056	-.037	-1.373	.170	-.064	-.030	-.027
	<b>LOS</b>	-.050	.034	-.065	-1.461	.144	.109	-.032	-.029
	<b>LOSCATH</b>	.057	.031	.072	1.853	.064	.196	.041	.037
	<b>APPOINT</b>	-.010	.022	-.013	-.453	.651	-.126	-.010	-.009
	<b>RELGIMP</b>	-.138	.018	-.176	-7.578	.000	-.261	-.165	-.151
	<b>RELIGION</b>	.705	.061	.256	11.504	.000	.325	.246	.229
	<b>KNOWTOT</b>	.062	.036	.040	1.740	.082	.214	.038	.035
<b>2</b>	<b>(Constant)</b>	-.264	.242		-1.091	.275			
	<b>GENDER</b>	-.033	.045	-.014	-.716	.474	.010	-.016	-.014
	<b>AGE</b>	.056	.028	.064	1.996	.046	.116	.044	.040
	<b>LEVEL</b>	-.210	.040	-.120	-5.190	.000	-.186	-.114	-.103
	<b>RELTEACH</b>	.023	.051	.011	.451	.652	-.140	.010	.009
	<b>CURMANG</b>	-.069	.056	-.033	-1.225	.221	-.064	-.027	-.024
	<b>LOS</b>	-.047	.034	-.062	-1.386	.166	.109	-.031	-.027
	<b>LOSCATH</b>	.047	.031	.059	1.507	.132	.196	.033	.030
	<b>APPOINT</b>	-.007	.021	-.008	-.304	.761	-.126	-.007	-.006
	<b>RELGIMP</b>	-.113	.019	-.143	-5.946	.000	-.261	-.130	-.118
	<b>RELIGION</b>	.595	.065	.216	9.146	.000	.325	.198	.181
	<b>KNOWTOT</b>	.050	.035	.033	1.423	.155	.214	.031	.028
	<b>ENVIRO</b>	-.051	.061	-.017	-.838	.402	.034	-.018	-.017
	<b>COMIT</b>	.254	.052	.122	4.933	.000	.325	.108	.098

Model 1:  $R^2 = .180$ ;  $F(11, 2062) = 41.17$ ,  $p < .001$ .

Model 2:  $R^2 = .190$ ;  $F \text{ Change}(2, 2060) = 12.53$ ,  $p < .001$ .

Overall:  $F(13, 2073) = 37.15$ ,  $p < .001$ .

Table B7. Regression statistics for the prediction of CATSCHDIF.

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Correlations		
		B	Std. Error	Beta			Zero-order	Partial	Part
1	<b>(Constant)</b>	9.338	.447		20.896	.000			
	<b>GENDER</b>	.208	.086	.052	2.431	.015	.057	.053	.052
	<b>AGE</b>	.022	.053	.015	.423	.672	.067	.009	.009
	<b>LEVEL</b>	-.065	.076	-.021	-.855	.393	-.041	-.019	-.018
	<b>RELTEACH</b>	-.122	.095	-.033	-1.280	.201	-.073	-.028	-.027
	<b>CURMANG</b>	-.213	.106	-.059	-2.021	.043	-.110	-.044	-.043
	<b>LOS</b>	-.013	.064	-.010	-.208	.836	.070	-.005	-.004
	<b>LOSCATH</b>	-.007	.058	-.005	-.125	.901	.100	-.003	-.003
	<b>APPOINT</b>	-.078	.040	-.057	-1.929	.054	-.140	-.042	-.041
	<b>RELGIMP</b>	-.164	.034	-.119	-4.782	.000	-.195	-.105	-.102
	<b>RELIGION</b>	.222	.115	.046	1.930	.054	.106	.042	.041
	<b>KNOWTOT</b>	.260	.067	.097	3.903	.000	.185	.086	.083
2	<b>(Constant)</b>	8.937	.455		19.636	.000			
	<b>GENDER</b>	.188	.085	.047	2.205	.028	.057	.049	.047
	<b>AGE</b>	.017	.052	.011	.322	.747	.067	.007	.007
	<b>LEVEL</b>	-.039	.076	-.013	-.508	.611	-.041	-.011	-.011
	<b>RELTEACH</b>	-.103	.095	-.027	-1.079	.281	-.073	-.024	-.023
	<b>CURMANG</b>	-.205	.105	-.057	-1.952	.051	-.110	-.043	-.041
	<b>LOS</b>	.011	.064	.008	.176	.860	.070	.004	.004
	<b>LOSCATH</b>	-.034	.058	-.025	-.590	.555	.100	-.013	-.012
	<b>APPOINT</b>	-.073	.040	-.053	-1.810	.070	-.140	-.040	-.038
	<b>RELGIMP</b>	-.138	.036	-.100	-3.875	.000	-.195	-.085	-.082
	<b>RELIGION</b>	.101	.122	.021	.823	.411	.106	.018	.017
	<b>KNOWTOT</b>	.235	.067	.087	3.520	.000	.185	.077	.075
	<b>ENVIRO</b>	.397	.115	.074	3.456	.001	.100	.076	.073
<b>COMIT</b>	.246	.097	.067	2.539	.011	.173	.056	.054	

Model 1:  $R^2 = .066$ ;  $F(11, 2062) = 13.32$ ,  $p < .001$ .

Model 2:  $R^2 = .075$ ;  $F \text{ Change}(2, 2060) = 9.17$ ,  $p < .001$ .

Overall:  $F(13, 2073) = 12.77$ ,  $p < .001$ .

Table B8. Regression statistics for the prediction of CATIDIMP.

Model	Unstandardized Coefficients		Standardized Coefficients		t	Sig.	Correlations			
	B	Std. Error	Beta				Zero-order	Partial	Part	
1	<b>(Constant)</b>	8.979	.496		18.089	.000				
	<b>GENDER</b>	.131	.095	.027	1.379	.168	.054	.030	.027	
	<b>AGE</b>	.030	.058	.016	.516	.606	.099	.011	.010	
	<b>LEVEL</b>	-.341	.084	-.093	-4.046	.000	-.176	-.089	-.079	
	<b>RELTEACH</b>	-.331	.106	-.073	-3.138	.002	-.206	-.069	-.062	
	<b>CURMANG</b>	-.152	.117	-.035	-1.295	.195	-.074	-.029	-.025	
	<b>LOS</b>	-.083	.071	-.051	-1.167	.243	.100	-.026	-.023	
	<b>LOSCATH</b>	.099	.064	.059	1.533	.125	.187	.034	.030	
	<b>APPOINT</b>	-.058	.045	-.035	-1.287	.198	-.149	-.028	-.025	
	<b>RELGIMP</b>	-.387	.038	-.233	-	.000	-.339	-.219	-.200	
					10.170					
		<b>RELIGION</b>	.943	.128	.162	7.385	.000	.270	.161	.145
		<b>KNOWTOT</b>	.381	.074	.118	5.152	.000	.298	.113	.101
	2	<b>(Constant)</b>	8.037	.495		16.234	.000			
<b>GENDER</b>		.076	.093	.016	.815	.415	.054	.018	.016	
<b>AGE</b>		.022	.057	.012	.389	.697	.099	.009	.007	
<b>LEVEL</b>		-.262	.083	-.071	-3.172	.002	-.176	-.070	-.061	
<b>RELTEACH</b>		-.260	.103	-.058	-2.512	.012	-.206	-.055	-.048	
<b>CURMANG</b>		-.122	.114	-.028	-1.069	.285	-.074	-.024	-.020	
<b>LOS</b>		-.028	.070	-.017	-.404	.686	.100	-.009	-.008	
<b>LOSCATH</b>		.027	.063	.016	.422	.673	.187	.009	.008	
<b>APPOINT</b>		-.042	.044	-.026	-.968	.333	-.149	-.021	-.019	
<b>RELGIMP</b>		-.294	.039	-.177	-7.603	.000	-.339	-.165	-.146	
<b>RELIGION</b>		.526	.133	.090	3.956	.000	.270	.087	.076	
<b>KNOWTOT</b>		.312	.073	.096	4.298	.000	.298	.094	.082	
<b>ENVIRO</b>		.746	.125	.116	5.963	.000	.168	.130	.114	
<b>COMIT</b>		.892	.105	.202	8.469	.000	.392	.183	.162	

Model 1:  $R^2 = .206$ ;  $F(11, 2062) = 48.63$

Model 2:  $R^2 = .245$ ;  $F \text{ Change}(2, 2060) = 53.469$ ,  $p < .001$ .

Overall:  $F(13, 2073) = 51.47$ ,  $p < .001$ .



Table B9. Regression statistics for the prediction of INTGR1.

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Correlations		
	B	Std. Error	Beta			Zero-order	Partial	Part
<b>1</b>								
(Constant)	2.771	.244		11.339	.000			
GENDER	.009	.046	.004	.192	.848	.022	.004	.004
AGE	-.002	.028	-.003	-.085	.932	.066	-.002	-.002
LEVEL	-.087	.041	-.052	-2.124	.034	-.093	-.047	-.044
RELTEACH	-.113	.051	-.055	-2.221	.026	-.121	-.049	-.046
CURMANG	-.096	.056	-.048	-1.705	.088	-.111	-.038	-.035
LOS	.011	.034	.014	.310	.756	.068	.007	.006
LOSCATH	-.040	.031	-.052	-1.272	.203	.103	-.028	-.026
APPOINT	-.062	.022	-.082	-2.852	.004	-.171	-.063	-.059
RELGIMP	-.145	.019	-.192	-7.623	.000	-.282	-.166	-.158
RELIGION	.086	.066	.032	1.313	.189	.129	.029	.027
KNOWTOT	.101	.036	.069	2.826	.005	.205	.062	.059
ENVIRO	.076	.062	.026	1.235	.217	.058	.027	.026
COMIT	.145	.052	.072	2.782	.005	.218	.061	.058
<b>2</b>								
(Constant)	2.656	.254		10.439	.000			
GENDER	-.026	.043	-.012	-.599	.549	.022	-.013	-.011
AGE	.000	.026	.000	.005	.996	.066	.000	.000
LEVEL	-.014	.038	-.008	-.367	.713	-.093	-.008	-.007
RELTEACH	-.076	.047	-.037	-1.604	.109	-.121	-.035	-.031
CURMANG	-.050	.052	-.025	-.955	.340	-.111	-.021	-.018
LOS	.013	.032	.017	.402	.688	.068	.009	.008
LOSCATH	-.038	.029	-.050	-1.318	.188	.103	-.029	-.025
APPOINT	-.038	.020	-.050	-1.869	.062	-.171	-.041	-.036
RELGIMP	-.060	.018	-.079	-3.252	.001	-.282	-.072	-.062
RELIGION	-.013	.062	-.005	-.207	.836	.129	-.005	-.004
KNOWTOT	.028	.034	.019	.843	.399	.205	.019	.016
ENVIRO	.016	.058	.005	.273	.785	.058	.006	.005
COMIT	-.037	.050	-.018	-.749	.454	.218	-.017	-.014
PURPCATH2	.075	.040	.038	1.851	.064	.168	.041	.036
CATSCDF	-.011	.012	-.020	-.963	.336	.140	-.021	-.018
CATIDIMP	.028	.011	.061	2.569	.010	.271	.057	.049
PRACTICES	.266	.022	.270	12.218	.000	.320	.260	.235
PEOPLE	.291	.021	.301	13.593	.000	.340	.287	.261

Model 1:  $R^2 = .116$ ;  $F(13, 2060) = 20.77$ ,  $p < .001$ .

Model 2  $R^2 = .243$ ;  $F \text{ Change}(5, 2055) = 68.98$ ,  $p < .001$ .

Overall:  $F(18, 2073) = 36.63$ ,  $p < .001$ .




Table B10. Regression statistics for the prediction of INTGR2.

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Correlations		
	B	Std. Error	Beta			Zero-order	Partial	Part
<b>1 (Constant)</b>	3.520	.241		14.586	.000			
<b>GENDER</b>	.048	.045	.022	1.054	.292	.037	.023	.021
<b>AGE</b>	.010	.028	.012	.359	.719	.114	.008	.007
<b>LEVEL</b>	-.060	.040	-.035	-1.493	.136	-.079	-.033	-.030
<b>RELTEACH</b>	-.015	.050	-.007	-.290	.772	-.093	-.006	-.006
<b>CURMANG</b>	-.085	.056	-.042	-1.516	.130	-.125	-.033	-.031
<b>LOS</b>	-.053	.034	-.071	-1.565	.118	.113	-.034	-.032
<b>LOSCATH</b>	.055	.031	.071	1.796	.073	.176	.040	.036
<b>APPOINT</b>	-.045	.021	-.059	-2.089	.037	-.190	-.046	-.042
<b>RELGIMP</b>	-.193	.019	-.252	-10.262	.000	-.351	-.221	-.207
<b>RELIGION</b>	.067	.065	.025	1.030	.303	.140	.023	.021
<b>KNOWTOT</b>	.119	.035	.080	3.364	.001	.245	.074	.068
<b>ENVIRO</b>	.102	.061	.034	1.672	.095	.074	.037	.034
<b>COMIT</b>	.156	.051	.076	3.031	.002	.251	.067	.061
<b>2 (Constant)</b>	3.166	.264		12.002	.000			
<b>GENDER</b>	.028	.044	.013	.635	.526	.037	.014	.012
<b>AGE</b>	.010	.027	.011	.354	.723	.114	.008	.007
<b>LEVEL</b>	-.012	.040	-.007	-.303	.762	-.079	-.007	-.006
<b>RELTEACH</b>	.013	.049	.006	.257	.797	-.093	.006	.005
<b>CURMANG</b>	-.056	.054	-.028	-1.028	.304	-.125	-.023	-.020
<b>LOS</b>	-.050	.033	-.067	-1.525	.127	.113	-.034	-.030
<b>LOSCATH</b>	.055	.030	.070	1.814	.070	.176	.040	.036
<b>APPOINT</b>	-.031	.021	-.041	-1.483	.138	-.190	-.033	-.029
<b>RELGIMP</b>	-.139	.019	-.181	-7.296	.000	-.351	-.159	-.143
<b>RELIGION</b>	-.009	.065	-.003	-.145	.885	.140	-.003	-.003
<b>KNOWTOT</b>	.071	.035	.047	2.035	.042	.245	.045	.040
<b>ENVIRO</b>	.046	.060	.015	.770	.442	.074	.017	.015
<b>COMIT</b>	.031	.052	.015	.598	.550	.251	.013	.012
<b>PURPCATH2</b>	.036	.042	.018	.868	.385	.152	.019	.017
<b>CATSCDF</b>	-.002	.012	-.004	-.204	.838	.153	-.005	-.004
<b>CATIDIMP</b>	.048	.011	.104	4.233	.000	.295	.093	.083
<b>PRACTICES</b>	.132	.023	.132	5.831	.000	.250	.128	.115
<b>PEOPLE</b>	.159	.022	.162	7.163	.000	.268	.156	.141

Model 1:  $R^2 = .159$ ;  $F(13, 2060) = 30.06$ ,  $p < .001$ .

Model 2:  $R^2 = .206$ ;  $F \text{ Change}(5, 2055) = 24.32$ ,  $p < .001$ .

Overall:  $F(18, 2073) = 29.69$ ,  $p < .001$ .




Table B11. Regression statistics for the prediction of INTGR3.

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Correlations		
	B	Std. Error	Beta			Zero-order	Partial	Part
<b>1 (Constant)</b>	2.858	.188		15.166	.000			
<b>GENDER</b>	.100	.035	.054	2.839	.005	.079	.062	.053
<b>AGE</b>	.029	.022	.040	1.328	.184	.161	.029	.025
<b>LEVEL</b>	-.030	.031	-.021	-.955	.340	-.103	-.021	-.018
<b>RELTEACH</b>	-.218	.039	-.124	-5.545	.000	-.218	-.121	-.103
<b>CURMANG</b>	-.126	.044	-.074	-2.885	.004	-.151	-.063	-.054
<b>LOS</b>	-.009	.027	-.014	-.346	.729	.163	-.008	-.006
<b>LOSCATH</b>	.017	.024	.026	.717	.474	.230	.016	.013
<b>APPOINT</b>	-.033	.017	-.052	-1.992	.046	-.212	-.044	-.037
<b>RELGIMP</b>	-.132	.015	-.202	-8.942	.000	-.402	-.193	-.167
<b>RELIGION</b>	-.021	.051	-.009	-.423	.672	.176	-.009	-.008
<b>KNOWTOT</b>	.320	.028	.253	11.613	.000	.424	.248	.216
<b>ENVIRO</b>	.016	.048	.006	.339	.735	.063	.007	.006
<b>COMIT</b>	.169	.040	.098	4.211	.000	.322	.092	.078
<b>2 (Constant)</b>	2.629	.209		12.553	.000			
<b>GENDER</b>	.087	.035	.046	2.469	.014	.079	.054	.045
<b>AGE</b>	.032	.022	.045	1.506	.132	.161	.033	.028
<b>LEVEL</b>	-.015	.031	-.010	-.471	.638	-.103	-.010	-.009
<b>RELTEACH</b>	-.198	.039	-.113	-5.085	.000	-.218	-.111	-.094
<b>CURMANG</b>	-.112	.043	-.066	-2.596	.009	-.151	-.057	-.048
<b>LOS</b>	-.010	.026	-.016	-.389	.697	.163	-.009	-.007
<b>LOSCATH</b>	.019	.024	.029	.783	.434	.230	.017	.014
<b>APPOINT</b>	-.025	.017	-.038	-1.487	.137	-.212	-.033	-.027
<b>RELGIMP</b>	-.104	.015	-.161	-6.917	.000	-.402	-.151	-.127
<b>RELIGION</b>	-.029	.051	-.013	-.555	.579	.176	-.012	-.010
<b>KNOWTOT</b>	.294	.028	.232	10.642	.000	.424	.229	.196
<b>ENVIRO</b>	-.022	.048	-.009	-.471	.637	.063	-.010	-.009
<b>COMIT</b>	.103	.041	.059	2.510	.012	.322	.055	.046
<b>PURPCATH2</b>	.046	.033	.028	1.396	.163	.170	.031	.026
<b>CATSCHDF</b>	-.007	.010	-.016	-.783	.433	.159	-.017	-.014
<b>CATIDIMP</b>	.034	.009	.087	3.768	.000	.316	.083	.069
<b>PRACTICES</b>	.083	.018	.098	4.640	.000	.283	.102	.086
<b>PEOPLE</b>	.028	.018	.034	1.595	.111	.202	.035	.029

Model 1:  $R^2 = .285$ ;  $F(13, 2060) = 63.04$ ,  $p < .001$ .

Model 2:  $R^2 = .302$ ;  $F \text{ Change}(5, 2055) = 10.29$ ,  $p < .001$ .

Overall:  $F(18, 2073) = 49.41$ ,  $p < .001$ .




Table B12. Regression statistics for the prediction of CONFIDENCE.

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Correlations		
	B	Std. Error	Beta			Zero-order	Partial	Part
<b>1 (Constant)</b>	1.800	.216		8.345	.000			
<b>GENDER</b>	-.050	.041	-.023	-1.213	.225	-.039	-.027	-.022
<b>AGE</b>	.031	.025	.036	1.212	.226	-.117	.027	.022
<b>LEVEL</b>	-.020	.037	-.012	-.544	.586	.032	-.012	-.010
<b>RELTEACH</b>	.135	.046	.065	2.960	.003	.159	.065	.055
<b>CURMANG</b>	.121	.051	.060	2.377	.018	.159	.053	.044
<b>LOS</b>	-.009	.031	-.012	-.289	.772	-.143	-.006	-.005
<b>LOSCATH</b>	-.026	.028	-.034	-.937	.349	-.210	-.021	-.017
<b>APPOINT</b>	.032	.019	.042	1.621	.105	.211	.036	.030
<b>RELGIMP</b>	.127	.016	.166	7.694	.000	.357	.168	.142
<b>RELIGION</b>	.018	.055	.007	.330	.741	-.157	.007	.006
<b>KNOWTOT</b>	-.618	.032	-.415	-19.309	.000	-.515	-.393	-.356
<b>2 (Constant)</b>	2.033	.246		8.269	.000			
<b>GENDER</b>	-.028	.041	-.013	-.675	.500	-.039	-.015	-.012
<b>AGE</b>	.026	.025	.030	1.022	.307	-.117	.023	.019
<b>LEVEL</b>	-.039	.037	-.023	-1.054	.292	.032	-.023	-.019
<b>RELTEACH</b>	.109	.046	.052	2.391	.017	.159	.053	.044
<b>CURMANG</b>	.106	.050	.053	2.096	.036	.159	.046	.038
<b>LOS</b>	-.012	.031	-.016	-.401	.689	-.143	-.009	-.007
<b>LOSCATH</b>	-.022	.028	-.029	-.802	.423	-.210	-.018	-.015
<b>APPOINT</b>	.020	.019	.027	1.050	.294	.211	.023	.019
<b>RELGIMP</b>	.093	.018	.121	5.280	.000	.357	.116	.096
<b>RELIGION</b>	.036	.060	.014	.610	.542	-.157	.014	.011
<b>KNOWTOT</b>	-.585	.032	-.393	-18.173	.000	-.515	-.374	-.332
<b>ENVIRO</b>	-.065	.055	-.022	-1.172	.241	-.088	-.026	-.021
<b>COMIT</b>	-.001	.048	-.001	-.024	.981	-.254	-.001	.000
<b>PURPCATH2</b>	-.051	.039	-.026	-1.319	.187	-.150	-.029	-.024
<b>PRACTICES</b>	-.108	.021	-.109	-5.179	.000	-.280	-.114	-.095
<b>PEOPLE</b>	-.016	.021	-.017	-.800	.424	-.158	-.018	-.015
<b>CATSCHDF</b>	.014	.011	.025	1.232	.218	-.139	.027	.023
<b>CATIDIMP</b>	-.027	.011	-.059	-2.584	.010	-.272	-.057	-.047

Model 1:  $R^2 = .306$ ;  $F(11, 2038) = 81.63$ ,  $p < .001$ .

Model 2:  $R^2 = .322$ ;  $F \text{ Change}(7, 2031) = 7.00$ ,  $p < .001$ .

Overall:  $F(18, 2049) = 53.64$ ,  $p < .001$ .






Table B13. Regression statistics for the prediction of WILLINGNESS.

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Correlations		
	B	Std. Error	Beta			Zero-order	Partial	Part
<b>1</b>								
(Constant)	.468	.236		1.982	.048			
GENDER	-.080	.045	-.036	-1.773	.076	-.051	-.039	-.036
AGE	.027	.028	.031	.966	.334	-.072	.021	.019
LEVEL	-.015	.040	-.009	-.383	.702	.035	-.008	-.008
RELTEACH	.146	.050	.070	2.916	.004	.129	.064	.059
CURMANG	.032	.056	.016	.569	.569	.100	.013	.011
LOS	-.023	.034	-.031	-.693	.488	-.081	-.015	-.014
LOSCATH	.035	.031	.046	1.157	.248	-.109	.026	.023
APPOINT	.055	.021	.073	2.588	.010	.165	.057	.052
RELGIMP	.174	.018	.227	9.644	.000	.328	.208	.195
RELIGION	.072	.061	.027	1.183	.237	-.075	.026	.024
KNOWTOT	-.328	.035	-.220	-9.330	.000	-.322	-.202	-.188
<b>2</b>								
(Constant)	.977	.260		3.749	.000			
GENDER	-.036	.044	-.016	-.821	.412	-.051	-.018	-.016
AGE	.019	.027	.022	.698	.485	-.072	.015	.014
LEVEL	-.071	.039	-.041	-1.806	.071	.035	-.040	-.035
RELTEACH	.089	.048	.043	1.826	.068	.129	.040	.035
CURMANG	-.007	.054	-.004	-.133	.894	.100	-.003	-.003
LOS	-.028	.033	-.037	-.843	.399	-.081	-.019	-.016
LOSCATH	.043	.030	.055	1.435	.151	-.109	.032	.028
APPOINT	.033	.021	.043	1.597	.110	.165	.035	.031
RELGIMP	.090	.019	.117	4.787	.000	.328	.105	.093
RELIGION	.193	.064	.072	3.014	.003	-.075	.066	.058
KNOWTOT	-.255	.034	-.171	-7.427	.000	-.322	-.162	-.144
ENVIRO	.018	.059	.006	.302	.762	-.054	.007	.006
COMIT	-.090	.051	-.044	-1.779	.075	-.242	-.039	-.035
PURPCATH2	-.052	.041	-.026	-1.258	.209	-.143	-.028	-.024
PRACTICES	-.207	.022	-.207	-9.272	.000	-.336	-.201	-.180
PEOPLE	-.106	.022	-.109	-4.870	.000	-.190	-.107	-.095
CATSchDF	.003	.012	.006	.289	.773	-.156	.006	.006
CATIDIMP	-.047	.011	-.103	-4.247	.000	-.292	-.093	-.082

Model 1:  $R^2 = .163$ ,  $F(11, 2055) = 36.25$ ,  $p < .001$ .

Model 2:  $R^2 = .228$ ;  $F \text{ Change}(7, 2048) = 24.97$ ,  $p < .001$ .

Overall:  $F(18, 2066) = 25.23$ ,  $p < .001$ .




Table B14. Regression statistics for PDLIKE.

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Correlations			
	B	Std. Error	Beta			Zero-order	Partial	Part	
1	(Constant)	4.067	.236		17.268	.000			
	GENDER	-.039	.039	-.019	-1.009	.313	.019	-.022	-.019
	AGE	.032	.024	.041	1.346	.178	.045	.030	.025
	LEVEL	.002	.035	.001	.049	.961	-.092	.001	.001
	RELTEACH	-.115	.043	-.061	-2.683	.007	-.161	-.060	-.051
	CURMANG	.059	.047	.032	1.245	.213	-.076	.028	.024
	LOS	-.045	.029	-.066	-1.558	.119	.019	-.035	-.029
	LOSCATH	-.043	.026	-.061	-1.635	.102	.064	-.036	-.031
	APPOINT	-.073	.018	-.106	-4.009	.000	-.181	-.089	-.076
	RELGIMP	-.076	.017	-.110	-4.580	.000	-.324	-.101	-.087
	RELIGION	-.034	.056	-.014	-.599	.549	.114	-.013	-.011
	KNOWTOT	-.016	.033	-.012	-.482	.630	.230	-.011	-.009
	CATIDIMP	.034	.010	.080	3.400	.001	.297	.075	.064
	CATSCHDF	-.004	.011	-.009	-.413	.680	.146	-.009	-.008
	PRACTICES	.096	.020	.106	4.774	.000	.287	.106	.090
	PEOPLE	.101	.019	.114	5.198	.000	.236	.115	.098
	ENVIRO	.030	.052	.011	.581	.562	.067	.013	.011
	COMIT	.103	.045	.056	2.304	.021	.267	.051	.044
	PURPCATH2	.027	.037	.015	.735	.462	.143	.016	.014
	CONFIDENCE	-.023	.025	-.025	-.905	.366	-.328	-.020	-.017
	WILLINGNESS	-.245	.024	-.271	-10.337	.000	-.425	-.224	-.196

$R^2 = .275$ ;  $F(20, 2023) = 38.42$ ,  $p < .001$ .

Table B15. Regression statistics for RELGIMP.

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	
	B	Std. Error	Beta			
<b>1</b>	<b>(Constant)</b>	.570	.212		2.695	.007
	<b>GENDER</b>	-.121	.057	-.042	-2.134	.033
	<b>AGE</b>	-.287	.034	-.260	-8.358	.000
	<b>LEVEL</b>	.135	.050	.061	2.697	.007
	<b>RELTEACH</b>	.459	.061	.169	7.558	.000
	<b>CURMANG</b>	-.011	.070	-.004	-.163	.870
	<b>LOS</b>	.045	.042	.046	1.085	.278
	<b>LOSCATH</b>	-.090	.037	-.089	-2.463	.014
	<b>APPOINT</b>	.255	.026	.258	9.712	.000

$R^2 = .196$ ,  $F(8, 2096) = 63.90$ ,  $p < .001$ .